

GLOBAL BRAND FROM **UAE**



Calvinol[®]
FUTURE MOTORING



**LOW SMOKE
TECHNOLOGY**

www.calvinolindia.com





Osmat India Limited is principally engaged in the business of trade, distribution and manufacturing of lubricants.

We deal in Automotive, Industrial & Specialty lubricating oils, Grease, Coolant etc.

We have grown over years spreading our reach to customers from various industries catering to their specific needs to the maximum extent possible for their sourcing requirements of petroleum products like Base Oil, Automotive Lubricant, Industrial Lubricant.

We import raw materials i.e. base oil primarily from South Korea and Middle East Since 2014. Our domestic and international customers are spread across multiple industries. Our manufacturing processes has started since 2019 in the brand name of Calvinol also were certified and awarded ISO 9001:2015.

Aims to be preferred supplier by continually improving Quality Management System, performance to satisfy quality, delivery and Price requirement of Customers, complete and in depth technical solution support at all times, in all places. Finally a full schedule of before, during, and after- the- sales services to help the valuable customers to increase productivity and profitability.

In order to process the line of products with perfection, we have set up a huge & well-equipped infrastructure base production unit. It is divided into different departments such as processing, quality testing, warehousing, packaging, sales & management, distribution etc.

Our commitment is to render services to our customers and the society at large. We believe in Professionalism, Dedication, Excellence, and Enthusiasm for better service.



Calvinol
FUTURE MOTORING

TWO WHEELER SEGMENT

Calvinol 4T 20W40



Calvinol PRO PLUS 4T 20W40 release formula is designed specially for bikers who love the exhilaration of riding. Calvinol Platinum is a premium quality, synthetic blend engine oil Designed for 4-stroke Motorbike. It is well designed using mainly Group II Base oil & High Performance world class additives. Superior Protection for Engine, Clutch & Gears. Increase oil Drain Period

SPECIFICATION :
Exceeds JASO MA2, API SN

PACK SIZE :
900 ml, 1 lit.

Calvinol 4T 10W30



Calvinol PRO PLUS 4T 10W30 is a premium quality synthetic engine oil specially formulated for high speed air-cooled and liquid cooled engines of new generation motorcycles. It is blended from superior quality base stocks and specially formulated Molecules that exceed the most demanding lubrication requirements and prevent degradation of the oil by damage causing free radicals, thus ensuring optimum power retention, ride after ride. These oils meet the requirements of leading global 4-stroke motorcycle manufacturers.

SPECIFICATION :
API SN & JASO MA2,

PACK SIZE :
800 ml / 900 ml

Calvinol 4T 20W50



Calvinol PRO PLUS 4T 20W50 Release Formula is designed Specially for bikers who love the exhilaration of riding. Calvinol Platinum is a premium quality, synthetic blend engine oil Designed for 4-stroke Motorbike. It is well designed using mainly Group II Base oil & High Performance world class additives. Superior Protection for Engine, Clutch & Gears. Increase oil Drain Period

SPECIFICATION :
Exceeds JASO MA2, API SN

PACK SIZE :
1 lit., 1.2 lit.

Calvinol 4T 15W50



Calvinol PRO PLUS 4T 15W50 Vehicle compatibility : Exclusively manufactured the category Royal Enfield Bullets High detergent and dispersant keep the engine, gear and wet clutch clean high performance for long drives. Provides a protective film on engine parts in all conditions. Significantly reduces engine wear during start-up and warm-up. Improved engine cleanliness, promoting longer engine life. Excellent wet clutch friction stability even in severe applications. Enhanced gear wear protection for transmission gears.

SPECIFICATION :
API SN, HC-Tech, JASO MA2,
4Stroke motorcycle oil very good thermal
resistance and stability

PACK SIZE :
2.5 lit.

www.calvinolindia.com



3 WHEELER SEGMENT

Calvinol PRO PLUS 4T 15W40

Calvinol PRO PLUS 4T 15W40 is a multi-grade engine oil developed for Auto Rickshaw and small delivery vans operating on Petrol & Diesel Fuels. Suitable for steady motoring and slow moving dense traffic conditions. Formulated to extend engine life and prevents carbon built-up in engines thereby reducing maintenance cost. Recommended for Auto Rickshaws & Delivery Vans



SPECIFICATION :
 API CF-4

PACK SIZE :
 3.5ltr, 3ltr, 1ltr





4 WHEELER SEGMENT

Calvinol 4T 5W30 ENERGY MIX

Calvinol PRO PLUS 4T 5W30 Diesel Engines meeting BS IV / EURO IV emission norms for new generation models of Passenger Cars powered with latest technology Diesel Engines. Recommended for use with Diesel fuels ranging in sulphur content up to 0.5% by wt.

FEATURES & BENEFITS :

- Excellent wear protection
- Low operating Costs
- Minimizes Deposits
- Extends oil drain intervals
- Reduces Fuel Consumption
- Reduces Exhaust Emission
- Longer engine rebuild lif

SPECIFICATION :
API SN/CI4

PACK SIZE :
3.5 ltr, 3.0 ltr



Calvinol 4T 15W40-CI4, Ci4+, CK4

Calvinol 4T 15W40-CI4 (Diesel Engines) Extended drain Engine oil for modern, low emission Diesel Engines meeting BS IV / BS VI / EURO IV emission norms for new generation models of Passenger Cars powered with latest technology Diesel Engines. Recommended for use with Diesel fuels ranging in sulphur content up to 0.5% by wt

FEATURES & BENEFITS :

- Excellent wear protection
- Low operating Costs
- Minimizes Deposits
- Extends oil drain intervals
- Reduces Fuel Consumption
- Reduces Exhaust Emission
- Longer engine rebuild lif

SPECIFICATION :
API SN/CI4

PACK SIZE :
3.5 ltr, 3.0 ltr 5 lit, 7.5 lit.



Calvinol 4T 5W40-CI

Calvinol PRO PLUS 4T 5W40 are high performance premium grade engine oils based on Semi-Synthetic Base Oils. Equipped with latest generation advanced Tribo molecule to protect the engine from excessive wear in harsh Start and Stop condition. Its high viscosity index & low pour point provides optimum viscosity & fluidity across a wide range of temperatures. RECOMMENDED for modern-day high-performance cars running on petrol / diesel / CNG like Tata Motors, Hyundai Motors, Maruti, Kia, Toyota, BMW, MG, Nissan, Ford etc

SPECIFICATION :
Meets API SN/CF Grade

PACK SIZE :
4 ltr





CALVINOL COOLANTS

Calvinol COOLANT

Calvinol COOLANTS Heavy duty engines run hotter than before causing more stress on their engine cooling systems. From vehicle to vehicle the materials that make up the cooling systems are different. If the antifreeze/coolant within the system breaks down this can cause a leak or damage to the engine.

- **FEATURES & BENEFITS :**
- Excellent low temperature protection
- Provides excellent protection against corrosion
- Efficient lubrication of water pumps
- Compatible with conventional seal and hose materials
- Used in engine cooling systems
- Contains bittering agent.
- Has many OEM approvals

PACK SIZE :
1ltr, 3ltr, 5ltr





Calvinol GEAR OIL

Calvinol GEAR OIL

Calvinol GEAR OIL This gear oil is a mineral lubricating oil for mechanical transmissions, formulated with high quality solvent refined base oils and special EP- additives to obtain the following properties :

APPLICATIONS :

Calvinol Gear Oil is ideal for manual transmission, Rear Axle, automotive hypoid Gear units and fluid lubricated universal joints and for application where API GL-4/GL-5 fluid is recommended.



FEATURES & BENEFITS :

- High oxidation stability.
- Protects engine against rust, corrosion and wear.
- Cleaner engine.
- Longer engine life.
- Reduced oil top up.
- Economical.

SPECIFICATION :
API GL-4/GL-5

PACK SIZE :
210ltr, 50ltr, 20ltr, 5ltr, 1ltr



CALVINOL TRANSMISSION OIL

Calvinol UTTO



Calvinol UTTO OIL Is a premium quality tractor engine oil made from the finest paraffinic base stocks and state of art additive technology, specifically designed to address the operational severity of Indian tractors in field usage.

Calvinol UTTO OIL provides unmatched soot handling properties, optimum protection for control of corrosive wear, low and high temperature stability, piston deposit control, valve train wear, oxidative thickening, foaming and viscosity loss due to shear

• FEATURES & BENEFITS :

- High level of engine cleanliness with
- superior detergency Unmatched protection against wear leading to longer engine life
- Superior protection against bore polishing, rust and corrosion Helps reducing pollution

PACK SIZE :
10ltr, 20ltr

www.calvinolindia.com



Calvinol HYDRAULIC OIL

Calvinol HYDRAULIC OIL

Calvinol HYDRAULIC OIL is based on selected solvent refined base oils having a natural viscosity index, under addition of additives to obtain the following properties.

• FEATURES & BENEFITS :

- An excellent protection against wear
- A very good activity against rust and corrosion
- An excellent stability against oxidation
- Good compatibility with seals and gaskets made from synthetic material

PACK SIZE :
26ltr, 55 ltr, 210 ltr.





Calvinol FORK OIL & BREAK OIL

Calvinol FORK OIL

Calvinol FORK OIL is formulated of premium quality, ultra-pure base oils and surface active additives that provide excellent lubricity, control foaming and protect the suspension system against corrosion. Special Lubricinol formula conditions seals, protects moving parts and reduces stiction to enhance fork performance over a wide operating temperature range. Advanced detergents provide ultra-clean operation and protect suspension systems from wear, deposits and allow for trouble-free operation.

- **VEHICLE COMPATIBILITY** : All Bikes
- **PRODUCT TYPE** : Fork oil Very good thermal resistance and stability.



PACK SIZE :
350ml, 175ml

Calvinol BREAK OIL

DOT 3 and DOT 4 are non-petroleum base, polyglycol type brake fluid meeting DOT-3 & DOT 4 performance requirements. It is designed for use in brake and clutch system, fitted with rubber cups and seals made from Natural Rubber (NR), Styrene-Butadiene Rubber (SBR), or a terpolymer of ethylene, propylene, and a diene (EPDM).

RECOMMENDED for Hydraulic braking system of modern fuel efficient motor vehicles such as passenger cars (Maruti, Hyundai, Fiat, Tata, etc.), trucks, buses, tractors, trailers, heavy earth moving machinery etc. operating under moderate duty service conditions.

PERFORMANCE LEVEL: SAE J 1703, IS 8654-2019 (Type 1) and FMVSS No. 116 DOT-3 specifications.



PACK SIZE :
500 ml, 250ml, 100ml

www.calvinolindia.com



Calvinol TRANSFORMER OIL

Calvinol TRANSFORMER OIL



Transformer oil or insulating oil is an oil that is stable at high temperatures and has excellent electrical insulating properties. It is used in oil-filled wet transformers, some types of high-voltage capacitors, fluorescent lamp ballasts, and some types of high-voltage switches and circuit breakers. Its functions are to insulate, suppress corona discharge and arcing, and to serve as a coolant.

Oil filled transformers with a conservator oil reservoir may have a gas detector relay like a Buchholz relay. These safety devices detect the buildup of gas inside the transformer due to corona discharge, overheating, or an internal electric arc. On a slow accumulation of gas, or rapid pressure rise, these devices can trip a protective circuit breaker to remove power from the transformer. Transformers without conservators are usually equipped with sudden pressure relays, which perform a similar function as the Buchholz relay.

PACK SIZE :
210 ltr, 55 ltr



Calvinol PUMPSET OIL

Calvinol PUMPSET OIL

Calvinol PUMPSET OIL is blended from highly refined base stocks and performance additives.

APPLICATIONS :

Specially formulated engine oil for agricultural diesel pump sets.

• FEATURES & BENEFITS :

- High oxidation stability.
- Protects engine against rust, corrosion and wear.
- Cleaner engine.
- Longer engine life.
- Reduced oil top up.
- Economical.



SPECIFICATION :
API CH - 4

PACK SIZE :
1 ltr, 3 ltr, 5 ltr.



Calvinol GREASE

Calvinol CALVINOL CALCIUM LITHIUM AND GEL GREASE

FEATURES & BENEFITS : Grease Provide ectended grease life under operation of heavy Truck, Trailers, Passenger Vehicles, Tractors etc. Longer grease working life upto 50,000km - Minimum grease thinning under vibrating conditions. Outstanding performance under extreme pressur

PACK SIZE :
1 Kg, 3 Kg, 20 Kg.



INDUSTRIAL

Lubricants product Manufactured & Supplied by Us :

Metal Cutting Coolants

- Soluble Cutting Oils
- Semi Synthetic Cutting Fluids
- Synthetic Cutting Fluids
- Neat Cutting Oils

Metal Forming & Wire Drawing

- Wire Drawing Oils
- Cold Forging Oils

Rust Preventives

- Oil Based Rust Preventives
- Solvent Based - Dewatering Type
- Solvent Based - Long Term Protection

Heat Treatment

- Quenching Oils (Cold)
- Quenching Oils (Hot)

Industrial Greases

- Extreme Pressure Grease
- Lithium Complex Grease
- Moly Grease
- High Temperature Grease
- Extra High Temperature Grease
- Silicone Grease
- General Purpose Grease

Textile Lubricants

- Knitting Oils - Washable
- Knitting Oils - Non-Washable

Sugar Mill Oils

- Roll Bearing Oils
- Open Gear Compounds
- Open Gear Compounds (Heavy Duty)

Industrial Lubricants

- Hydraulic - Anti Wear Type
- Hydraulic - HLP Type
- Slideway Oils
- Spindle Oils
- General Machine Oils
- Gear Oils
- Thermic Fluids
- Synthetic Thermic Fluids
- Compressor Oils
- Turbine Oils
- Refrigeration Oils
- Cylinder Oils
- Engine Flushing Oil
- Vacuum Oil

Transformer Oil

- Transformer Oil

We also supply various kind of industrial grade oil at affordable price to factories, constructions sites, Mines etc.

Best B2B price



24/7 on time Delivery



Pan India Service.

PROMOTIONAL ACTIVITIES FOR MARKET SUPPORT



SPONSORSHIP



ADVERTISEMENT





Calvinol®

FUTURE MOTORING

LOW SMOKE TECHNOLOGY

A Global Brand From UAE



OSMAT INDIA LIMITED

Production Unit :

B-24, Electronic
Industrial Estate, Amla
Silvassa, Dadra &
Nagar Haveli, DNH &
DD, Pin - 396230

Regd Office :

No.1, DDA Market,
Anand Niketan, New
Delhi – 110021

Branch Office :

203, BT Commercial
complex, Baliana Bazar
Road, Bhubaneswar,
Odisha - 752101

UAE Office :

205, 2nd floor, Al-AIN
Tower, Near Masjid
Faisal Bin Khalfaan
Sharjah (UAE)

Follow Us On :   

www.calvinolindia.com | www.osmatindia.com

Email : info@calvinolindia.com | info@osmatindia.com

M : 9937022335, 7608811605